

FLOS

F6630057 Chrome


Superloon

Designed by Jasper Morrison, 2015

48W - 2716lm - 2200-2800K



Adjustable floor lamp providing direct light. Painted or chrome-plated aluminium body with metal spinning head, die-cast joints and extruded stem. Silk screened PMMA diffuser. Edge Lighting technology light source. Optical switch sensor placed on the stem that provide Warm Tone dimming function. Power cord length 250 cm. Plug-in power supply with interchangeable plugs.



Main specifications


EAN	8059607007037
Mounting	Floor
Environment	Indoor dry location
Light source type	LED
LED type	LED Module
Lamp holder	LED Module
Number of heads	1
Power (W)	48
System flux (lm)	2716

Physical

Colour	Chrome
Net weight (kg)	11
Package volume (m3)	0.11
IP	20
IP external	20



Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2200-2800


Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/48
Driver	Remote included
Dimming type	Electronic 12V
Plug type	Type G, Type A, Type C
Batteries inside	No
Charging min time	No


Ecodesign and Energy

Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only)
light source by a
professional



Replaceable control
gear by an end-user

Spare Parts



F6632057

Chrome diffuser



RF25119

Mobile legs



RF3320400

Black plug assembly kit & 48V driver



RF6630157

Chrome electrified fixed leg