# PH 4/3 Pendant

The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of metal and painted white to ensure uniform, comfortable light distribution.







#### PH 4/3 Pendant

### **Product info**

#### Mounting

Suspension type: Cable 3x0,75mm². Canopy: Yes. Cable length: 3m.

#### Finish

White, powder coated.

#### Materials

Shades: Spun aluminium. Anti-glare disc: White, spun aluminium.

#### Sizes and weights

Width x Height x Length (mm) | 400 x 200 x 400 Max 1.1 kg

#### Class

Ingress protection IP20. Electric shock protection I w. ground.

#### Specification notes

The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

#### Light source

1x60W E27

### **Product family**



PH 4/3 Table

### **Product variants**

Light source

1x60W E27





## **Product description**

Suspended metal luminaire. lconic design. Part of a wide family of multiple sizes.

### **Mounting**

Can be mounted on 4" octagonal junction box. (USA only)

### **Light description**

Glare free, mostly downlight distribution.

### Design

Poul Henningsen

### **Material**

Shades: spun aluminium, 2mm (0. 08") thick, white powder coated, semi-gloss exterior and matte interior for diffuse light. Stem of spun aluminium, 2mm (0. 08") thick, white powder coated.

Glare shield of sheet aluminium, 2mm (0. 08") thick, white powder coated. Removable for re-lamping by tool-less spring tabs. Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Socket position is adjustable to allow correct lamp position and fixture illumination.

Canopy: 5. 3" diameter x 0. 9" tall cone of spun aluminum.

Cable: white PVC coated, 12 ft. (USA)

### Weight


1.129

### **Finish**

White



## Light distribution diagrams



### Spare parts & accessories

Product	Variant number
CANOPY WHITE 2-PART, TOPHAT ®	5749329034
PH 4-3, COVER PLATE, WHITE	5741086841
PH 4-3, COVER PLATE, WHITE NEW	5741087552
BEARING PLATE 18/56 F/STANDARD SUSP.	5741481190
PH 4-3, COVER PLATE, ORANGE, F/OLD VER.	5741480997

