


VL45 Radiohus Pendant

The fixture provides uniform, general and diffuse illumination. The opening at the bottom of the glass produces downwards directed light. The quality of the glass ensures that the fixture is evenly lit.



Carl Hansen & Son Showroom



Aalborg Universitet

Product info

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Mounting

Cable Ø 175/Ø 250: 3x0,75mm². Ø 370 (E27): 3x1mm². Ø 370 (LED): 2x0,75mm² & Wire. Canopy: Yes. LED canopy contains driver. Cable length: E27: 4.4m. LED: 4m.

Finish

Glossy white opal glass. Brushed brass, untreated.

Materials

Shade: Mouth-blown polished white opal glass. Pendant fitting: Untreated brushed brass, will patinate.

Sizes and weights

Width x Height x Length (mm) | 370 x 448 x 370 Max 5.2 kg | 250 x 328 x 250 Max 2.0 kg | 175 x 246 x 175 Max 1.3 kg

Class

Ingress protection IP20. Electric shock protection I w. Ground.

Light source

1x20W E14



Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Product variants

Dimension	Light source	Lumen	Lighting control
Ø 175	1x100W E27	-	-
Ø 250	1x20W E14	2763	Dali
Ø 370	LED 3000-1800K D2W 41W	3353	Phase dimming (mains dimm)
	LED 3000K 41W		Wireless bluetooth

Design

Vilhelm Lauritzen

Weight

Min: 1.312 kg Max: 5.227 kg

Dimensions


Ø 175, Ø 250, Ø 370

Finish


Brass/glossy opal glass

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

VL45 Radiohus Pendant

Product	Variant number
CANOPY WHITE 2-PART, TOPHAT ®	5749329034
VL45 RADIO 250 PENDANT GLASS OPAL	5741099304
VL45 RADIO 370 PENDANT GLASS OPAL	5741099317
VL45 RADIO 250 E27 SUSPENSION	5741099320
VL45 RADIO 370 E27 SUSPENSION	5741099333
VL45 RADIO 175 SUSPENSION	5741100183
VL45 RADIO PENDANT 370 GLASS OPAL LED/V3	5741100866