


# VL Ring Crown 3-5-7

The pendant emits light directed primarily downwards.  
The opal glass provides a comfortable and uniform illumination of the area around the fixture.



Set location - The Silo

## Product info

### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.

### Mounting

Suspension type: Cable 3 x 0,75 mm<sup>2</sup> with wires. Untreated, brass canopy. 4 m. White, textile cord.

### Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

### Materials

Shades: Mouth-blown, 3-layered, opal glass. Wires: Stainless steel. Frame and canopy in untreated brass, will patinate.

### Sizes and weights

Width x Height x Length (mm) | 690 x 233 x 690 Max 7.5 kg | 550 x 233 x 550 Max 5.2 kg | 893 x 233 x 893 Max 9.9 kg

### Class

Ingress protection IP20. Electric shock protection I w. Ground.

### Light source

3x40W E27

### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.



## Product variants

| Dimension | Light source |
|-----------|--------------|
| 3         | 3x40W E27    |
| 5         | 5x40W E27    |
| 7         | 7x40W E27    |

## Design

Vilhelm Lauritzen

---

## Weight

Min: 5.222 kg Max: 9.899 kg

---

## Dimensions

3, 5, 7

---

## Finish

Brass/glossy opal glass

## Spare parts & accessories

| Product                        | Variant number |
|--------------------------------|----------------|
| VL RING CROWN WALL/3-5-7 GLASS | 5741094406     |
| VL RING CROWN CANOPY           | 5741094451     |