



# **Smithfield Suspension**

Designed by Jasper Morrison, 2009



Halogen - 4 x 70W

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700 mm.

Are you a professional and your project needs consulting and support?

**BOOK AN APPOINTMENT** 


\//hito

## Main specifications

EAN	8059607031261 Suspension	
Mounting		
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp type	A70	
Lamp holders	E27	
Ilcos	HSGSA	
Bulb finish	Frosted	
Number of heads	4	
Power (W)	70	
System power (W)	280	

## Physical

Colour	vvnite
Length (mm)	600
Cord length (mm)	2700
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	4.5
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m3)	0.16
IP internal	20



Download	
Mounting instructions	<b>业</b> PDF
Spare Parts	<b>业</b> PDF

















https://professional.flos.com/en/global/product/smithfield-suspension-f1371009/

F1371009

## Schematic light drawing





#### Photometric

Lighting type	Direct
Light distribution	Roto symmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No









#### **NOT INCLUDED**

RF32288

LED Lamp E27 15W 2700K T38

#### **NOT INCLUDED**

RF32289

LED Lamp E27 15W 3000K T38

#### **NOT INCLUDED**


RF32563


LED Lamp 11.5W E27 220-240V 2700K A70

#### **NOT INCLUDED**

RF32564

LED Lamp 11.5W E27 220-240V 3000K A70





#### NOT INCLUDED

RF26259


LED Lamp 18W E27 2700K Dimmable

## NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38 Dimmable

## **Spare Parts**



01.	White rose assembly	RA3690209
02.	Kit of 5 or rings	RF05382
03.	Wiring 2,7m FEP/PVC 3x0,75	RF29907
	Transparent	
04.	3 mt steel cable ø1,2 with 19	RF29665
	winded wires	
05.	Methacrylate diffuser	RF19022

DOWNLOAD

Wiring 2,7m FEP/PVC 3x0,75

Transparent







RA3690209

White rose assembly

RF05382

Kit of 5 or rings

RF29665

3 mt steel cable ø1,2 with 19 winded wires



RF19022

Methacrylate diffuser