

FLOS

 F1371035 Red

Smithfield Suspension

Designed by Jasper Morrison, 2009



Halogen - 4 x 70W

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700 mm.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607031360
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp type	A70
Lamp holders	E27
Ilcos	HSGSA
Bulb finish	Frosted
Number of heads	4
Power (W)	70
System power (W)	280

Physical

Colour	Red
Length (mm)	600
Cord length (mm)	2700
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	4.5
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m3)	0.16
IP internal	20




Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF



Schematic light drawing



Photometric

Lighting type	Direct
Light distribution	Roto symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38



NOT INCLUDED

RF32289


LED Lamp E27 15W 3000K T38



NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V
2700K A70



NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V
3000K A70



NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K
Dimmable




NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38
Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Red rose assembly | RF1367035 |
| 02. | Kit of 5 or rings | RF05382 |
| 03. | Wiring 2,7m FEP/PVC 3x0,75
Transparent | RF29907 |
| 04. | 3 mt steel cable \varnothing 1,2 with 19
winded wires | RF29665 |
| 05. | Methacrylate diffuser | RF19022 |

DOWNLOAD

RF29907

Wiring 2,7m FEP/PVC 3x0,75

Transparent



RF1367035


Red rose assembly

RF05382

Kit of 5 or rings

RF29665

3 mt steel cable ø1,2 with 19
winded wires



RF19022

Methacrylate diffuser