

FLOS

2097/18 (clear bulbs)

Designed by Gino Sarfatti, 2019



LED retrofit - 18 x 15W


Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated, matt black or golded. Steel ceiling fitting and rose.

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E14
Ilcos	IBS/F
Number of heads	18
Power (W)	15

Physical

Length (mm)	670
Cord length (mm)	2800
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	3.27
Package volume (m3)	0.02
IP internal	20



Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)



Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14
150lm 2700K Dimmable T26
Dimmable



NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240
2200K T26 Dimmable



NOT INCLUDED

RF28889

LED Frosted Mini Lamp E14 2,7W
2700K Dimmable (Set 20pcs)




INCLUDED

RF28890

LED Clear Mini Lamp E14 2W
2200K Dimmable (Set 20pcs)

Spare Parts



- | | | |
|-----|--------------------------|-----------|
| 01. | Ceiling rose | RL7060800 |
| 02. | Brass short arm (200mm) | RL7060459 |
| 03. | Brass Medium Arm (310mm) | RF33865 |
| 04. | 2097 E14 lamp holder | RL7050100 |
| 05. | Brass lower cap | RL7050759 |
| 06. | Brass lower cap | RL7050959 |

DOWNLOAD