

# FLOS

## 2097/18 (frosted bulbs)

Designed by Gino Sarfatti, 2019



LED retrofit - 18 x 15W


Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated, black or golded. Steel ceiling fitting and rose.

### Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E14
Ilcos	IBS/F
Number of heads	18
Power (W)	15

### Physical

Length (mm)	670
Cord length (mm)	2800
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	3.27
Package volume (m3)	0.02
IP internal	20



### Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)



## Photometric

Lighting type	Total
Light distribution	Asymmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14  
150lm 2700K Dimmable T26  
Dimmable



NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240  
2200K T26 Dimmable



INCLUDED

RF28889

LED Frosted Mini Lamp E14 2,7W  
2700K Dimmable (Set 20pcs)




NOT INCLUDED

RF28890

LED Clear Mini Lamp E14 2W  
2200K Dimmable (Set 20pcs)

## Spare Parts



- |     |                          |           |
|-----|--------------------------|-----------|
| 01. | Ceiling rose             | RL7060800 |
| 02. | Brass short arm (200mm)  | RL7060459 |
| 03. | Brass Medium Arm (310mm) | RF33865   |
| 04. | 2097 E14 lamp holder     | RL7050100 |
| 05. | Brass lower cap          | RL7050759 |
| 06. | Brass lower cap          | RL7050959 |

**DOWNLOAD**