

# FLOS

## 2097/30 (clear bulbs)

Designed by Gino Sarfatti, 1958



LED retrofit - 30 x 15W


Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated or golded. Steel ceiling fitting and rose.

### Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E14
Ilcos	IBS/F
Number of heads	30
Power (W)	15

### Physical

Length (mm)	880
Cord length (mm)	2800
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	5.6
Package volume (m3)	0.02
IP internal	20



### Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



## Schematic light drawing



Luminous flux Luminaire  
5500 lm


### Photometric

Lighting type	Total
Light distribution	Asymmetric

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14  
150lm 2700K Dimmable T26  
Dimmable



NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240  
2200K T26 Dimmable



NOT INCLUDED

RF28987

LED Frosted Mini Lamp E14 2,7W  
2700K Dimmable (set 32pcs)




INCLUDED

RF28988

LED Clear Mini Lamp E14 2W  
2200K Dimmable (Set 32pcs)

## Spare Parts



- |     |                          |           |
|-----|--------------------------|-----------|
| 01. | Ceiling rose             | RL7060800 |
| 02. | Brass short arm (180mm)  | RL7050459 |
| 03. | Brass medium arm (330mm) | RL7050559 |
| 04. | Brass long arm (430mm)   | RL7050659 |
| 05. | 2097 E14 lamp holder     | RL7050100 |
| 06. | Brass lower cap          | RL7050759 |
| 07. | Brass lower cap          | RL7050959 |

**DOWNLOAD**