

2097/50 (frosted bulbs)

Designed by Gino Sarfatti, 1958



LED retrofit - 50 x 15W


Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated, black or golded. Steel ceiling fitting and rose.

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E14
Ilcos	IBS/F
Number of heads	50
Power (W)	15

Physical

Length (mm)	1000
Cord length (mm)	2800
Canopy dimension (mm)	36
Canopy width (mm)	146
Net weight (kg)	10.03
Package volume (m3)	0.04
IP internal	20



Download

- Mounting instructions [PDF](#)
- Spare Parts [PDF](#)

Photometric Files


- LDT / IES [LDT](#)

Technical Drawings

- 2D [ZIP](#)



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14
150lm 2700K Dimmable T26
Dimmable



NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240
2200K T26 Dimmable



INCLUDED

RF28889

LED Frosted Mini Lamp E14 2,7W
2700K Dimmable (Set 20pcs)



NOT INCLUDED

RF28890

LED Clear Mini Lamp E14 2W
2200K Dimmable (Set 20pcs)



INCLUDED

RF28987

LED Frosted Mini Lamp E14 2,7W
2700K Dimmable (set 32pcs)




NOT INCLUDED

RF28988

LED Clear Mini Lamp E14 2W
2200K Dimmable (Set 32pcs)

Spare Parts



- | | | |
|-----|--------------------------|-----------|
| 01. | Ceiling rose | RL7060700 |
| 02. | Brass short arm (200mm) | RL7060459 |
| 03. | Brass medium arm (375mm) | RL7060558 |
| 04. | Brass long arm (475mm) | RL7060659 |
| 05. | 2097 E14 lamp holder | RL7050100 |
| 06. | Brass lower cap | RL7050759 |
| 07. | Brass lower cap | RL7060158 |

DOWNLOAD