

# FLOS


F0995017 Linen

## Bilboquet

Designed by Philippe Malouin, 2023

LED retrofit - 8W

Table lamp with adjustable head. Integrated LED bulb and cut-off providing direct lighting. Body made of a special pigmented polycarbonate deriving from a by-product of paper production rather than from petroleum. Adjustability through steel sphere treated with protective layer deposited in PVD. Useful length of the cable 2 mt. The cable can be adjusted and locked in place through a special slit in the base of the lamp. The product has been designed according to the ISCC standards and it is assembled with total absence of glued components so that it can be completely separated for future recyclability.



### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607059210       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light source type      | Bulb                |
| Light sources included | Yes                 |
| Lamp category          | LED retrofit        |
| Lamp holders           | GU10                |
| Number of lamps        | 1                   |
| Power (W)              | 8                   |
| System power (W)       | 7.5                 |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | Linen |
| Length (mm)         | 104   |
| Cord colour         | Linen |
| Cord length (mm)    | 2000  |
| Net weight (kg)     | 1.8   |
| Package height (mm) | 95    |
| Package width (mm)  | 300   |
| Package length (mm) | 380   |
| Package volume (m3) | 0.01  |
| IP internal         | 20    |

### Download

Mounting instructions [Download PDF](#)

### Photometric Files

LDT / IES [Download ZIP](#)

### Technical Drawings

2D [Download ZIP](#)


3D [Download ZIP](#)

### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **G**



Schematic light drawing



Photometric


Light distribution

Symmetric

Electrical

|                    |                                  |
|--------------------|----------------------------------|
| Insulation class   | II                               |
| Frequency (Hz)     | 50/60                            |
| Main voltage (Vac) | 220-250                          |
| Dimmable           | No                               |
| Dimming interface  | Switch Integrated (Not Dimmable) |
| Plug type          | Type C                           |

Bulbs




INCLUDED

RF35612

Non Dimmable Bulb 2700K 7,5W  
220-240V

Spare Parts

- |     |                                                         |           |
|-----|---------------------------------------------------------|-----------|
| 01. | Beige electric mounting with On/Off switch and diffuser | RF0990017 |
| 02. | Sphere with pin                                         | RF36760   |
| 03. | Beige base assembly                                     | RF0991017 |





RF0990017

Beige electric mounting with  
On/Off switch and diffuser



RF36760

Sphere with pin



RF0991017

Beige base assembly