


Clara

Designed by Piero Lissoni, 2015

57W - 3141lm - 2700K

Ceiling/wall lighting fixture, providing diffused light. The front diffuser is made of high efficiency, injection moulded opal Polycarbonate. Ceiling/wall fitting is in injection moulded polycarbonate. Dimmable Led light source powered without the use of any power supply/transformer, but directly by the mains voltage (220-230 V AC). For decorative purposes an optional accessory made of PC and ABS+PC is made available in 4 different finishes: chrome, copper, black fumée and transparent.



Main specifications

EAN	8059607015322
Mounting	Ceiling, Wall
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	57
Lumen Output (lm)	3141

Physical

Colour	White
Length (mm)	600
Net weight (kg)	3
Package height (mm)	110
Package width (mm)	670
Package length (mm)	680
Package volume (m3)	0.05
IP internal	40

Download

Mounting instructions	PDF
Dimmers or chargers compatible	PDF

Photometric Files


LDT / IES	LDT
-----------	-----

Technical Drawings

2D	ZIP
3D	ZIP



Schematic light drawing



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Photometric

Light distribution	Roto symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	Yes
Power supply type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply



OPTIONAL
F1571000
Clara Frieze



OPTIONAL
F1571015
Clara Frieze




OPTIONAL
F1571030A
Clara Frieze



OPTIONAL
F1571057
Clara Frieze

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Clara Kit diffuser | RF1570200 |
| 02. | Clara Kit of n.4 screws &
hexagonal screwdriver | RF1570100 |



RF1570200

Clara Kit diffuser



RF1570100

Clara Kit of n.4 screws &
hexagonal screwdriver