



F012J00C055 Brushed Stainless Steel

IC C/W2 Outdoor NEW

Designed by Michael Anastassiades, 2019




Light source excluded. Optional LED bulb sold separately. Wall mounting system contains the wiring system. Watertight cable gland included.

Main specifications

EAN	8054793222288
Mounting	Ceiling, Wall
Environments	Outdoor wet location
Light source type	Bulb
Light sources included	No

Physical

Colour	Brushed Stainless Steel
Trim	No
Orientation	Fixed
Net weight (kg)	7.59
IP internal	65



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP
₿Bim	⊥ ZIP











Schematic light drawing




Luminous flux luminaire 1400 lm

Beam	Angle:	0°
h(m)	E(lx)	D(m)
1	86	
2	21	
3	10	
4	5	
5	0	

Ecodesign and Energy Labelling





https://professional.flos.com/en/global/product/ic-c-w2-outdoor-f012j00c055/

F012J00C055

Photometric

Lighting type	Direct
Light distribution	Symmetric
Extreme cut off	No

Electrical


Emergency	No
Main voltage (Vac)	220-240
Frequency (Hz)	50/60
Insulation class	I


Notes

Bulb not included. LED: max 15W - E27









NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38

NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

NOT INCLUDED

2F32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28