



IC Lights F1

Designed by Michael Anastassiades, 2014



Halogen - 60W


Floor lamp providing diffused light. Frame in brass, brushed and transparent varnished or chrome steel. Blown glass opal diffuser. Dimmer on the power chord.

Main specifications

EAN	8059607003084	
Mounting	Floor	
Environments	Indoor dry location	
Light source type	Bulb	
Light sources included	No	
Lamp category	Halogen	
Lamp holders	E14	
Ilcos	HSGS	
Number of lamps	1	
Power (W)	60	

Physical

Colour	Brass
Length (mm)	275
Cord colour	Black
Net weight (kg)	4.9
Package volume (m3)	0.1
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP
	↓ 7IP











Schematic light drawing




Photometric


Lighting type	Total	
Light distribution	Roto symmetric	
Extreme cut off	No	

Electrical

Insulation class	II	
Frequency (Hz)	50/60	
Main voltage (Vac)	220-240	
Dimmable	Yes	
Dimming interface	Dimmer Integrated	
Plug type	Type C	
Batteries inside	No	









NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28

NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28

NOT INCLUDED

0000760

LED Lamp 9W E14 220-240V 3000K T28

NOT INCLUDED

RF37192

LED Lamp 7,5W E14 220-240V 2700K T28

Spare Parts



01.	IC Lights 1 diffuser for brass	F3136059
	version	
02.	Led rondo' dimmer 220/240v 40-	RF28045
	250w 4-100w	
03.	IC Floor Kit with screws and allen	RF3130100
	key for base	







F3136059

IC Lights 1 diffuser for brass version

RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w

RF3130100

IC Floor Kit with screws and allen key for base