




# **Kelvin Led Base**

Designed by Antonio Citterio/assistant Toan Nguyen, 2009



8W - 285lm - 3000K

Adjustable table lamp providing direct lighting, with double pantograph arm and adjustable head. Fused aluminum alloy body. Die-cast aluminum outer head, with injection-molded methacrylate diffuser. BASE external cover in ABS. Extruded aluminum alloy square tube (12x12mm) structure, machined mechanically, so that it houses a stainless steel load-compensation spring and injection-molded acetal resin sliding blocks. 3 mm diameter wire outer tie rods. Available in white, anthracite, black or chrome finishes. The ON/OFF switch is electronic with optical mechanism located in the head. Two possibilities to choose: - PERSONAL MODE (orange switch) Dimm the light intensity you like. - GREEN MODE (green switch) Now Kelvin LED becomes Green, saving even more energy thanks to his automatic compensation of the ambience light.



## Main specifications

Mounting	Table
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	8
Lumen Output (lm)	285

# Physical

Colour	Black
Length (mm)	581
Cord colour	Black
Cord length (mm)	1800
Net weight (kg)	3.9
Package volume (m3)	0.02
IP internal	20



Mounting instructions	<b>业</b> PDF
Mounting instructions	<b>业</b> PDF
Mounting instructions	.↓. PDF

## Photometric Files

LDT / IES



# **Technical Drawings**

2D	$\overline{\mathbf{A}}$	ZIP
3D	业	ZIP















https://professional.flos.com/en/global/product/kelvin-led-base-f3311030/

F3311030

# Schematic light drawing



#### Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	3000
Extreme cut off	No

### Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 24V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

# **Spare Parts**



01.	Black plug assembly kit & 24V	RF6600230
	driver	
02.	Kelvin Led Black insert for lamp	RF18764
	base	
03.	Kelvin led gm black base	F3322030A
04.	Kelvin led gm black body	F3312030









RF6600230

Black plug assembly kit & 24V driver

RF18764

Kelvin Led Black insert for lamp base

F3322030A

Kelvin led gm black base

F3312030

Kelvin led gm black body