



Mini Glo-Ball Table

Designed by Jasper Morrison, 2003

Halogen - 25W


Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and an injection-molded, white PBT (polybutylenterephtalate) threaded ring nut. Injection-molded, white PBT (polybutylenterephtalate) cover, base/lamp-holder support.



EAN	8059607019993
Mounting	Table
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	G9
Ilcos	HSGS
Number of lamps	1
Power (W)	25

Physical

Colour	White
Length (mm)	120
Cord colour	White
Cord length (mm)	1500
Net weight (kg)	0.43
Package height (mm)	190
Package width (mm)	190
Package length (mm)	190
Package volume (m3)	0.01
IP internal	40



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	⊥ ZIP
₿Bim	.↓, ZIP












Schematic light drawing




Photometric

Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No





NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable NOT INCLUDED

RF36378

LED BiPin Lamp G9 3,2W 2700K Dimmable



11. Mini Glo-Ball Ceiling/Wall & Table RF4190400

new diffuser assembly

02. Mini Glo-Ball Table Assembly RF32896

Electrical Wiring with Switch

White

https://professional.flos.com/en/global/product/mini-glo-ball-table-f4191009/

F4191009





RF4190400

Mini Glo-Ball Ceiling/Wall & Table new diffuser assembly

RF32896

Mini Glo-Ball Table Assembly Electrical Wiring with Switch White