



String Light - Sphere head - 12mt cable

Designed by Michael Anastassiades, 2014

21W - 1515lm - 2700K

Suspension lamp emitting diffused light. Varnished die-cast aluminium body coated with clear soft-touch varnish and an optical diffuser in opal polycarbonate. The suspension system (12 or 22mt long) includes a Kevlar-reinforced coaxial cable. Available with wall/ceiling connection or floor switch in black polycarbonate. The on/off switch features an electronic, optical and touch-dim mechanism or a Casambi Ready version with touch dimmer included. Must be paired with either the floor switch or ceiling/wall rose (sold separately).

Designed by Michael Anastassiades in 2014, String Light transforms the cable into a defining design element, allowing users to shape the lamp's path around their own environment. It draws quiet, architectural lines through space, inspired by overhead power lines and the festive lights strung across Mediterranean squares. Poetic yet precise, it reflects Anastassiades' pursuit of purity through reduction, offering flexible, atmospheric light for modern living.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607041390
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED array
Power (W)	21
Lumen Output (lm)	1515

Physical

Colour	Black
Length (mm)	190
Cord colour	Black
Cord length (mm)	12000
Net weight (kg)	1.35
Package height (mm)	300
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

Download


Mounting instructions	PDF
Mounting instructions	PDF
Mounting instructions	PDF

Photometric Files


LDT / IES	LDT
-----------	-----

Technical Drawings

Bim	ZIP
-----	-----



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Roto symmetric
CCT (K)	2700

Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
Power supply	Remote excluded
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Accessories & Power Supply



REQUIRED

F6482030

String Light Rose



REQUIRED

F6484030

String Light Black Floor switch EU



REQUIRED

F6484330

String Light Black Floor switch GB




OPTIONAL

F6485030

String Light Kit cable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | String Light black hooks & cable clamps 5-unit kit | RF6480130 |
| 02. | Power supply unit for led | RF22934 |
| 03. | String Light Kit with allen key and screws for ceiling rose assembly | RF6480200 |



RF6480130

String Light black hooks & cable
clamps 5-unit kit



RF22934

Power supply unit for led



RF6480200

String Light Kit with allen key and
screws for ceiling rose assembly