FLOS

F6630057 Chrome

Superloon


Designed by Jasper Morrison, 2015



48W - 2716lm - 2200-2800K

Adjustable floor lamp emitting direct light. Painted or chrome-plated aluminium body with spinning head, die-cast joints and extruded stem. Silk-screened PMMA diffuser with Edge Lighting technology. Optical switch sensor with Warm Tone dimming on the stem. Plug-in power supply with interchangeable plugs included.

Designed by Jasper Morrison in 2015, Superloon was born with the emergence of Edge Lighting. Struck by its ability to channel light sideways through a flat disc, the designer imagined a lamp that would mimic the soft, harmonious glow of the full moon. The result was Superloon, a perfectly circular light source mounted on a gyroscopic axis that allows the disc to rotate smoothly in any direction. Morrison described Superloon as the answer to the question of what to do with this intriguing technology.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607007037
Mounting	Floor
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	48
Lumen Output (lm)	2716

Physical

Colour	Chrome
Length (mm)	754
Cord colour	Black
Net weight (kg)	12.15
Package volume (m3)	0.11
IP internal	20

Download

Mounting instructions PDF

Mounting instructions PDF

Photometric Files

LDT / IES LDT

Technical Drawings

2D ZIP


3D ZIP

©2026 Flos - P.IVA 00290820174 - 10/17/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

IP 20


Schematic light drawing




Luminous flux luminaire
2716 lm

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **D**



Replaceable (LED only) light source by a professional


Replaceable control gear by an end-user

Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2200-2800
Extreme cut off	No


Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

©2026 Flos - P.IVA 00290820174 - 10/17/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



00.	Assembly Coaxial Connector	RF3390130
01.	Superloon Chrome diffuser	F6632057
02.	Superloon Mobile legs	RF25119
03.	Superloon Chrome electrified fixed leg	RF6630257
04.	Black plug assembly kit & 48V driver	RF6600130

©2026 Flos - P.IVA 00290820174 - 10/17/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF3390130

Assembly Coaxial Connector



F6632057

Superloon Chrome diffuser

RF25119

Superloon Mobile legs



RF6630257

Superloon Chrome electrified fixed leg



RF6600130

Black plug assembly kit & 48V driver

©2026 Flos - P.IVA 00290820174 - 10/17/2026

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.