

APOLLO PORTABLE LAMP

PRODUCT FACT SHEET



APOLLO PORTABLE LAMP


DESIGN BY STUDIO 0405, 2022

Designed by STUDIO 0405, the Apollo Portable Lamp is a portable and free-standing lamp for indoor and outdoor use that creates space and intimacy wherever it is placed. Handmade in a single piece of opal glass, its rounded curves and unified silhouette are a contemporary interpretation of the classic lamp form. The light source and rechargeable battery are concealed within the shade, illuminating the upper part to provide a warm, ambient glow. Apollo's portability and deliberate simplicity of design make it suitable for using in many rooms in a domestic environment, as well as cafés, patios and other outdoor spaces.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- Elegant and versatile portable lamp in opal glass, suitable for both indoor and outdoor use.
- Each lamp is handmade and therefore has a unique, one-of-a-kind quality.
- CE and ETL approved for both EU and US markets.
- Includes replaceable LED light source ensuring a life span of at least 25,000 hours of use.
- Integrated touch step dimmer switch with three standard settings on the base of the lamp.
- Minimum 10 hours of use before the battery requires recharging via USB-C.
- 3,5 hours charging time.
- IP44 outdoor rated.
- Qualified for contract use.
- Suitable for both indoor and outdoor environments.

DIMENSIONS



WIDTH 12,5 CM

DEPTH 12,5 CM

HEIGHT 22 CM

MATERIALS

SHADE & BASE

Mouth blown opal glass.

CORD

Charging connection.

BASE INSERT

Injection moulded ABS.

The Apollo Portable Lamp is handmade and every lamp might vary slightly in size or shape.

COLOUR & FINISH

Please note that the colour codes are indicative.



WHITE OPAL
GLASS

TECHNICAL SPECIFICATIONS

LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	SWITCH
LED G4, 3,5W, 220lm, 3000K warm white	Yes	220-240V AC at 50-60Hz USB-C	44	Touch step dimmer. (Integrated in the base insert)


*Bulb included in the packaging. For replacements of LED bulbs, please contact HAY or an authorised dealer.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
220lm	2800K, warm white	80

*Photometrics and the test specification shown is taken using the included LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)