SOFT EDGE 50 SLED PRODUCT FACT SHEET



SOFT EDGE 50 SLED


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back seat, blending strong curves with extreme lightness to create a three-dimensionality that is not normally possible with 2D plywood. The result is a minimalistic design that optimises human-centric comfort for constant shifting and movement. With its wooden seat and back in a range of different finishes and steel-sled base, Soft Edge 50 Sled offers uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés.

HIGHLIGHTS

- · Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- \cdot Offers an ergonomic seating solution due to its increased level of back support.
- ·3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- ·EU Ecolabelled and FSC[™] certified.
- ·Variety of seat and base colours and finishes.
- · Available in a wide variety of fabric and leather options.
- · Available with linking gliders.
- · Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- · Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- ·Suitable for a wide variety of private and public environments.
- ·Qualified for contract use.

DIMENSIONS



WIDTH 50,5 CM | 19.9" DEPTH 52,5 CM | 20.7" HEIGHT 79 CM | 31.1" SEAT HEIGHT 47,5 CM | 18.7" SEAT DEPTH 44 CM | 17.3"

MATERIALS

 SEAT & BACK
 SEAT W. UPHOLSTERY
 BASE
 GLIDER

 Moulded plywood seat and back with inner
 10 mm PU foam.
 Ø16 mm steel tube.
 Plastic. Standa

 veneer in beech, top and bottom veneer in oak.
 all floorings th

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors. Linking gliders. CMHR foam (fire retardant).

CONSTRUCTION


2D moulded plywood seat and back mounted to the frame with rivets. Inner plywood in beech, top veneer in oak. Base in Ø16 mm steel tube. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN

Denmark.

ACCESSORIES

LINKING GLIDERS Black plastic with or without felt. Set of 4. Linking gliders are premounted on linking glider variant and optional on standard sled variants.



SOFT EDGE CHAIR TROLLEY Black powder coated steel. Rear wheels with brake. Suitable for transportation and storage.

TROLLEY CAPACITY Soft Edge 50 Sled max. 20 pcs. Soft Edge 50 Sled w. upholstery max. 6 pcs. LINK TO CHAIR TROLLEYS PRESENTATION

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	CHROMED STEEL	
SEAT & BACK		RAL 9005	NCS 3500N	NCS 6030-R		
BLACK WATER-BASED LACQUERED OAK RAL 9005		۰			٠	
SOFT BLACK WATER-BASED LACQUERED OAK RAL 9004		۲			٠	
HUNTER WATER-BASED LACQUERED OAK NCS S 8010 B90G		٠			٠	
DUSTY GREEN WATER-BASED LACQUERED OAK NCS S 6005 G20Y		٠			٠	
FALL RED WATER-BASED LACQUERED OAK NCS S 6030 R		٠		٠	٠	
SOFT GREY WATER-BASED LACQUERED OAK NCS S 3500 N		٠	٠		٠	
WATER-BASED LACQUERED OAK		٠	٠	٠	٠	
SMOKED WATER-BASED LACQUERED OAK		٠			•	

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics. LINK TO OVERVIEW

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety. **LINK TO ENVIRONMENTAL PROFILE**

CERTIFICATES



FSC[™] LABEL MIX Made from FSC[™]-certified wood and other controlled materials.



EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty. Spare parts are available throughout the 5-year warranty period. Please contact the HAY sales team for further information about the warranty terms and conditions.

EU ECOLABEL

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com. LINK TO CARE & MAINTENANCE

RECYCLING & DISASSEMBLY

The furniture is designed to be a long-lasting furniture made to last for many years. The furniture is 100% recyclable and all parts can be fully separated and recycled. All parts can be delivered to a suitable recycling facility. LINK TO DISASSEMBLY INSTRUCTION MANUAL

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com. LINK TO IMAGE BANK

Does not apply to CMHR foam.

Applies to unupholstered and upholstered

models covered in EU-Ecolabelled fabrics.



INDOOR ADVANTAGE[™] GOLD Supports a healthy indoor environment. Confirms to ANSI/BIFMA standards.

ANSI BIFMA X5.4-2012 American National Standard For Office Furnishings – Lounge and Public Seating – Tests.