
VL 38 WALL LAMP

Designed by Vilhelm Lauritzen



Technical specifications

Materials

Wall box: Punched aluminium.

Shade: Spun aluminium.

Arm: Brushed brass, .

Finishes

Black or White, powder coated.

Brushed brass, untreated.

Mounting

Cable type: Plastic cord. Cable length: 3,3m. Light control: Switch on wall box. 2 light levels. Timer function: 4 hours/8 hours. LED driver: integrated in wall box. For mounting instructions, see download section on the product detail page.

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. Function to set a fixed light level each time the lamp is connected to main power. LED driver integrated in wall box. Two light levels 50% or 100%. Timer function to automatically turn off the light after amount of time, selectable between off/4 hours/8 hours. Adjustable (up and down) and rotating (to the side) lamp shade. This product is fitted with an integrated energy-saving LED light source. Should you wish to replace it, please contact Louis Poulsen so we can help you purchase the correct LED Replacement Kit. Please note that LED-replacement should always be carried out by an authorised electrician. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

Designed by Vilhelm Lauritzen

VL 38 WALL LAMP

Designed by Vilhelm Lauritzen

Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5743163393	BLACK, T09	135 / 190 / 290 IN / 1.1 LB
5743163403	BLACK, T09	135 / 190 / 290 IN / 1.1 LB
5743163429	WHITE, T08	135 / 190 / 290 IN / 1.1 LB
5743163432	WHITE, T08	135 / 190 / 290 IN / 1.1 LB