# VL Ring Crown 1

The pendant emits light directed primarily downwards.

The opal glass provides a comfortable and uniform illumination of the area around the fixture.





Set location - The Silo



#### VL Ring Crown 1

### **Product info**

#### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

#### Mounting

Cable 2x0,75mm². Canopy: Yes. Cable length: 3m.

#### Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

#### Materials

Shades: Mouth-blown, 3-layered, polished opal glass. Suspension: Untreated brass, will patinate.

#### Sizon and waights

Width x Height x Length (mm) | 190 x 342 x 190 Max 1.2 kg

#### Class

Ingress protection IP20. Electric shock protection II w/o ground.

#### Light source

1x40W E27

#### Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

# 342

# **Product variants**

Light source

1x40W E27

DESIUH	Des	ian	ì
--------	-----	-----	---

Vilhelm Lauritzen

# Weight

1.195

# **Finish**

Brass/glossy opal glass

# Spare parts & accessories

Product	Variant number
VL RING CROWN 1 SPARE GLASS	5741094419
CANOPY WHITE 2-PART, TOPHAT ®	5749329034

