



Montana

HILOW TABLES

MONTANA ACADEMY

Table of contents



Making room for success

The HiLow 2 and HiLow 3 table are perfect for workstations.

They are both height-adjustable and comes with a wide range of surfaces and colours.

All table series come with a wide selection of desk components, such as cable grommet, tabletop socket, lamp holder, wireless charger etc.





State of the art technology

The LINAK system

The HiLow tables use LINAK actuator solution, PIEZO™ anti-collision technology. The integrated feature prevents material damage to a desk if a collision with a solid object occurs.

- Zero technology from LINAK
- PVC free electronic components
- 5 year warranty
- Robust and sturdy construction
- User friendly and intuitive
- Parallel driving and quiet solution
- Reliable actuator solutions



MONTANA



HiLow 2 with Pistachio linoleum top and Shadow DL11 frame

HiLow 2

HiLow 2 is a series of electrical height-adjustable work desks that can be adjusted for both seated and standing work.

The edge profile of the tabletop is the classic Montana profile, and therefore the work desks fit perfectly with Montana's shelving system for offices.








Special dimensions

110 - 240 cm








62.4 cm - 125.1 cm





DL11



DL11

Round profile Ø70 mm
3-stage 62.4 - 125.1



MONTANA HILOW 2 WITH DL11 FRAME

Hilow 2 DL11 frame is delivered knock-down with minimal assembly - the frame is attached with screws




MONTANA

HiLow 2 with Cumin laminate top and Black Red DL11 frame

Sliding top

Sliding top desks/tables allow the cable tray to be accessed from above. The desktop/tabletop is two-part and comprises a fixed section and a sliding section. Cable ductings, powerdots and plug wells cannot be used for sliding top tables.





MONTANA HILOW SLIDING TOP
A minimalistic approach to your workplace



HiLow 2 Materials

TABLE TOP

Micro laminate



Laminate



Linoleum



Nano laminate



Veneer



FRAME / DL11





HiLow 2 DFR

The HiLow 2 with DFR frame is a simpler and lighter version of HiLow 2 focusing on the HiLow 2 design features: a round leg frame (equivalent to DL11) and flat rounded feet (equivalent to HiLow2).

The DFR frame is a LINAK frame with Anti-Collision (Desk Sensor 1) and with a single motor.


The frame of the HiLow 2 DFR comes as knock-down – easy to assemble. HiLow 2 DFR is delivered with an open cable tray.






Special dimensions

130- 200 cm






DFR Frame is Delivered flat-packed
 8 loose components + electronics and screws
 1. 2x feet + 2. Actuator + 3. 1x Bridge + 4. 2x
 Cantilevers + 5. 1x Cable tray



HiLow 2 Feet & frame



HiLow DFR frame clicks on
 without use of tools

HiLow Double

– One frame. Two tables.

HiLow 2 is now available as a double table – one frame with two tabletops.

The adjustment height spans from 61,9 cm to 125,4 cm. Hilow double has same frame as Hilow 2. Two frames assembled and constructed into one frame using two leg-frames, the feet are the lower part of the frame that wraps around and holds the leg. The upper part of the leg-frame is the beam that connects and stabilizes the two legs.



The table is available in Alu-grey, Snow and Black.


The table is available with tops in the width of 180, 160 and 140 cm. All in depth 80 cm.


The tabletops are with the classic Montana bevelled profile.

The table is available with a mounted screen – in either 12 mm mdf in 40 lacquer colours, or with an acoustic screen from Götessons.

The height of the screens above floor is 126 cm. The distance between the two tops are 9 cm, which leaves enough space for the acoustic screen. The screens are mounted with monitor arms that are fastened on the support beam of the leg-frame.

Max load:120 kg, evenly on the surface





HiLow 3

The HiLow 3 table has a clean design and is a versatile table for office environments or in the home office.

The Hilow 3 table series is available in 7 sizes. Hilow 3 has a squared frame profile (equivalent to DL 5 & DL6) – the Black and Grey frame foot is made of polyamid PA6 30% glass (reused material). The table top has the classic Montana rounded profile – however, the smallest size – perfect for the home office – has straight, cut-off edges. Hilow 3 is equipped with Anti-Collision (Desk Sensor 1).

The frame of the HiLow 3 comes as knock-down – easy to assemble.



The lifting columns have no visible gliding pads and no punch holes in the profiles, and the internal wiring and pre-installed motor in the beam ensure that only the mains and the desk panel cables are visible.

The lifting technology is of the well-known LINAK quality and performance similar to other 3-part columns. As standard, the table features the new anti-collision technology, Desk Sensor™ 1 from LINAK, ensuring that collisions with obstacles do not damage the furniture .

HiLow 3 is available as quickship in the size 160 x 80 cm in Snow Micro Laminate. This table comes with two cable ductings in white plastic located in 2V and 2H and a cable tray in all 3 frame colours.





Table with cable tray

CABEL TRAY CAN BE PURCHASED AND IS AN ITEM TO BE MOUNTED FOLLOWING THE ASSEMBLY GUIDES






Table without cabel tray



Frame is Delivered knocked-down



Height adjustment standard
button



Hilow 3 Foot

Max load: 120 KG

	120 cm	140 cm	160 cm	180 cm
70 cm	 HLO3H120 *	 HLO3H140		
80 cm		 HLO3G140	 HLO3G160	 HLO3G180
90 cm			 HLO3F160	 HLO3F180

* Table top has end edges without bevel.



HiLow Double, HiLow 2 DFR & HiLow 3 Materials

TABLE TOP

Micro laminate



Laminate



Linoleum




Nano laminate



Veneer



FRAME / DL11



HiLow Conference

HiLow Conference provide an opportunity to have meetings in both standing and seated positions. The tables are available with a height-adjusting function and with fixed legs and can be used as conference, meeting or workshop tables.


The frame is designed to give free legroom with a cross bridge at ends.



Plug wells make it possible to position electric and PDS plugs.






DL11 Round profile Ø70 mm / 3-stage 69.3 - 118.7 cm or fixed.





The tabletops are also available in special dimensions.

400 cm



HSKFPR400

320 cm



HSKFPR320

240 cm



HSKFPR240

200 cm



HSKFPR200

120 cm



HiLow Conference

TABLE TOP

Laminate

	38 Snow		09 Nordic		02 Fjord		04 Anthracite		110 Blue Pastel		157 Cumin		38 Snow Silk		3F3050L Cygnet		F2840 Liquid Glass
---	------------	---	--------------	---	-------------	---	------------------	---	--------------------	---	--------------	---	-----------------	---	-------------------	---	-----------------------

Linoleum

	4132 Forbo Ash		4166 Forbo Anthracite		4023 Forbo Black		4172 Forbo Mauve		4154 Forbo Burgundy		4179 Forbo Smokey Blue		4183 Forbo Pistachio		4003 Forbo Walnut		4184 Forbo Olive
---	-------------------	---	--------------------------	---	---------------------	---	---------------------	---	------------------------	---	---------------------------	---	-------------------------	---	----------------------	---	---------------------

Nano laminate

	0720 Black Nano		0718 Clay Nano		0754 Blue Fes		0789 Rosso Namib
---	--------------------	---	-------------------	---	------------------	---	---------------------

Veneer


	131 White Oak		133 Black Oak		62 Nature Oak
--	------------------	--	------------------	--	------------------

FRAME / DL11

	38 Snow		05 Black		43 Aluminium		99 Chrome		15 Beige		07 Black Red		136 Pine		147 Shadow
---	------------	---	-------------	---	-----------------	---	--------------	---	-------------	---	-----------------	---	-------------	---	---------------




MONTANA
Hilow Conference





Hilow 2 DL11

- 2 Actuators
- Round three-part lifting column Ø70 mm
- HiLow 2 Foot
- Can be reset - to ensure the two actuators run parallel
- Close dcable tray
- Anti-collision
- Height-adjustment: 61-124 cm
- Max load: 120 kg
- Max tabletop length: 240 cm
- Min tabletop length: 110 cm
- Max tabletop depth: 100 cm
- Min tabletop depth: 60 cm
- Max speed: 60 mm/s unloaded (Snow, Black, Aluminum & Chrome)
- Frame weight: 42 kg
- Knocked down - 2 step assembly
- Fixed sized bridge
- Possible to change the table frame for projects



HiLow 2 DFR

- 1 Actuator
- Round three-part lifting column Ø70 mm
- HiLow 2 foot
- Cannot be reset - not necessary with only one actuator
- Open cable tray
- Anti-collision
- Height-adjustment: 61-124 cm
- Max load: 120 kg
- Max tabletop length: 200 cm
- Min tabletop length: 130 cm
- Max tabletop depth: 90 cm
- Min tabletop depth: 70 cm
- Max speed: 38 mm/s unloaded
- Frame weight: 35 kg
- Flat pack - 5 step assembly
- Telescopic bridge - adjusts 5 cm
- Not possible to change the table frame for projects



Hilow 3

- 1 Actuator
- Rectangular three-part lifting column
- HiLow 3 Foot
- Cannot be reset - not necessary with only one actuator
- Delivered without cable tray
- Open cable tray can be purchased additionally
- Anti-collision
- Height-adjustment: 64-127 cm
- Max load: 120 kg
- Max tabletop length: 200 cm
- Min tabletop length: 120 cm
- Max tabletop depth: 90 cm
- Min tabletop depth: 70 cm
- Max speed: 38 mm/s unloaded
- Frame weight: 25 kg
- Flat pack - 5 step assembly
- Telescopic bridge - adjusts 5 cm
- Not possible to change the table frame for projects

Hilow 2 DL11

- 2 Actuators
- Round three-part lifting column Ø70 mm
- HiLow 2 Foot
- Can be reset - to ensure the two actuators run parallel
- Close dcable tray
- Anti-collision
- Height-adjustment: 61-124 cm
- Max load: 120 kg
- Max tabletop length: 240 cm
- Min tabletop length: 110 cm
- Max tabletop depth: 100 cm
- Min tabletop depth: 60 cm
- Max speed: 38 mm/s unloaded
- Frame weight: 42 kg
- Knocked down - 2 step assembly
- Fixed sized bridge
- Possible to change the table frame for projects

Hilow 2 DFR

- 1 Actuator
- Round three-part lifting colum Ø70 mm
- HiLow 2 foot
- Cannot be reset - not necessary with only one actuator
- Open cable tray
- Anti-collision
- Height-adjustment: 61-124 cm
- Max load: 120 kg
- Max tabletop length: 200 cm
- Min tabletop length: 130 cm
- Max tabletop depth: 90 cm
- Min tabletop depth: 70 cm
- Max speed: 38 mm/s unloaded
- Frame weight: 35 kg
- Flat pack - 5 step assembly
- Telescopic bridge - adjusts 5 cm
- Not possible to change the table frame for projects

Hilow 3

- 1 Actuator
- Rectangular three-part lifting column
- HiLow 3 Foot
- Cannot be be reset - not necessary with only one actuator
- Delivered without cable try
- Open cable tray cn be pruchased additionally
- Anti-collision
- Height-adjustment: 64-127 cm
- Max load: 120 kg
- Max tabletop length: 200 cm
- Min tabletop length: 120 cm
- Max tabletop depth: 90 cm
- Min tabletop depth: 70 cm
- Max speed: 38 mm/s unloaded
- Frame weight: 25 kg
- Flat pack - 5 step assembly
- Telescopic bridge - adjusts 5 cm
- Not possible to change the table frame for projects

Components

– for HiLow tables

The HiLow 2 height-adjustable workdesk is perfect for the workstation. It is spacious and comes in a variety of different sizes and designs, with a wide range of finishes and colours.

Choose from a wide selection of desk components, such as cable grommet, tabletop socket, lamp holder etc. and make it your own.





MONTANA
Hilow 2 & Montana System 12 mm



Standard control panel



111096

Steel control switches



KABELA

Wire ducting, Ø75 mm with cutting. Solid anodised Aluminum or Black Aluminum.




KABELL

Ø75 mm incl. cutting and lampholder incl. bush, Ø8 - Ø16 mm. Solid anodised Aluminium or Black Aluminium.



111071

Ø60 mm Powerdot midi (POWER + USB). Black or White plastic.



111072

Ø60 mm Powerdot midi (POWER). Black or White plastic.



111073

Wire ducting, Ø75 mm with cutting. Black or White plastic.



111091

Qi charger for wireless charging, Ø9 cm. Black plastic.

Additional cost for counter sinking (produkt code 1023) of cable grommet. Can be used for powerdots 111071, 111072, KABELA and KABELL



111094

SINGLE PLUGWELL
In solid anodised aluminum or
black anodised aluminum with
horsehair – single.

L: 325 x W: 130, H: 10 mm



111093

DOUBLE PLUGWELL
In solid anodised aluminum or
black anodised aluminum with
horsehair – double.

L: 325 x W: 130, H: 10 mm



111090

Single plug well. ONLY for lamina-
te or nano laminate tapletops



111070

Quickbox with 3 power and
2 USB in black or white lacquered
steel.


L: 28.9 cm x W: 11.2 cm x
H: 9.1 cm



SPACER




Cable sock with zip 3m



Cable sock without zip 5m




HA111083
CPU holder in Snow, Black or Alu.




HPEN
Pen tray



4179
Office unit for under tables
Part of office unit assortment.



4177



4178




4179



D: 38 cm
To be mounted beneath the table top on a metal rail. The metal rail is included and follows the frame colours of the table. A lock can be purchased for the unit with door.




MONTANA
Pen tray for HiLow Tables

Country	Powerdot	Quickbox
Denmark, Sweden, Norway, Finland, Germany,(France)	935-PM60 & 935-PM61	935-F300
United Kingdom	935-PM70 & 935-PM71	Not available
France	935-PM80 & 935-PM81	Not available
Schweiz	Not available	Not available
Israel	935-PM60 & 935-PM61	935-F300
Japan	Not available	Not available
Singapore	935-PM70 & 935-PM71	Not available
Hong Kong	935-PM70 & 935-PM71	Not available
Shanghai	935-PM70 & 935-PM71	935-F300
Seoul	935-PM70 & 935-PM71	935-F300
USA	Not available	Not available












MONTANA
Hilow 2 & Office units

Office unit / 12 mm MDF in all Montana colours



D: 38 cm

To be mounted beneath the table top on a metal rail. The metal rail is included and follows the frame colours of the table.

A lock can be purchased for the unit with door.

Acoustic privacy screens

– from Götesson

Screenit A30 from Götessons, is designed to maximize sound absorption. It has a wooden frame filled with A-classified sound-absorbing material and is upholstered in foam-laminated fabric.

It can also be used as a bulletin board.



TEXTILES

Screenit A30 from Götesson is available in selected textiles and colours from price group 1.

Seams on screens follow the textile color. For projects other fabric colours can be ordered.

Markings & Certificate from Götesson
(valid 03.06.2019)

SS-EN 1023 Stability test, ISO 354 Sound absorption and SS 25269

N10 value 1800x800x40 = 7

Nordic Ecolabelled with (valid 03.06.2019): Event Screen +, Xpress, Cara.

EXAMPLES:

Cara by Camira:



375 /Glass



377 /Lomond




378 /Lewick




379 / Maree


Carlow by Camira:



220 /Convoy



223 /Tallow



227 /Emly




228 /Quin

Mica by Gabriel




100 light white

(2500 60000)



103 light red

(2501 64183)



105 light green

(2500 67015)



106 dark white



(2501 60000)

MEASUREMENTS

The screen is for both Hilow 2 and Hilow 3, is a padded screen 4 cm thick. The height is 65 cm and in full width of table, it is available for tables in width 120, 140, 160, 180 cm and as a side screen in 80 cm. From the table surface to the top of the screen is 42.5 cm.

MOUNTING

It is fitted with angle brackets under the tabletop in the same way as lacquered screen and can be retrofitted.



MDF Privacy Screens

–for the HiLow table series

Front and side screens in mdf

Screens for Hilow 2 and Hilow 3 (same screen for both tables) in lacquered 12 mm mdf in 40 Montana lacquer colours.





MEASUREMENTS

The height of the screen is 55.5 cm and the width in the full length of the table 120, 140, 160, 180, 200 cm or as a side screen in 80 cm. From the table surface to the top of the screen is 42.5 cm.

The screen is also available for Werwerka (HA2PRB243 & HA2PRC243) and the flight wing table (HA2PRF190).


MOUNTING

The screens are mounted with angle brackets on the underside of the tabletop. The screens can be retrofitted.



FRAMED SCREEN

Framed screens are available for Hilow tables, the screens come in 12 mm mdf lacquered in 40 Montana water-based lacquer colors.



Montana Lacquer colours:



MOUNTING

The screen can be mounted on both round (DL11) and square (DL5 & DL6) leg profile.

MEASUREMENTS

The screen is 102 cm high and is available for tables in 120, 140, 160, 180 & 200 cm, screen comes in same width of tabletop.

* Framed screen is only available for rectangular tables.



MONTANA
Hilow Double with MDF privacy screen

Unique selling points

- Contemporary workstations
- EU Ecolabel certified
- Flexible and changeable
- 5 years warranty
- Wide colour and material assortment
- Complies with EU and DK Working Environment Authority
- Flexible and adaptable
- Ergonomically correct
- Increased comfort:

Standing lowers risk of weight gain ¹

Standing lowers risk of heart diseases ²

Standing reduces back and neck pain ³

Standing helps improve mood and energy levels ⁴

¹ <https://www.ncbi.nlm.nih.gov/pubmed/24297826>

² <https://www.ncbi.nlm.nih.gov/pubmed/22890825>
<http://circ.ahajournals.org/content/122/7/743.full>

³ <https://www.ncbi.nlm.nih.gov/pubmed/23057991>

⁴ <https://www.ncbi.nlm.nih.gov/pubmed/23057991>



EU Ecolabel

The EU Ecolabel is a label of environmental excellence. Recognized across Europe and worldwide.

Awarded to products that meet high environmental standards throughout their life cycle. Less waste and less CO₂ during production. Durable, easy to repair and recyclable quality and design.

The EU Ecolabel provides exigent guidelines and offers third party controls and audits.



Always updated on..

Montana Backroom

Montana Professionals Website

HiLow 2 DFR Assembly tutorial

HiLow 3 Assembly tutorial

HiLow 2 Assembly tutorial

HiLow 2 Slide Top Assembly tutorial



