

DESIGN BY HERMAN MILLER, AVAILABLE FROM HAY

HAY

# NELSON WALL SCONCE COLLECTION

## HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection
- A family of refined wall sconces
- CE approved
- Suitable for both private and office environments



# NELSON WALL SCONCE COLLECTION DESIGN BY HERMAN MILLER, AVAILABLE FROM HAY

Designed by pioneering American designer George Nelson in 1947, and first produced in 1952, the Bubble Lamp signaled a revolution in the Modernist lighting industry. Available in an assortment of organic sizes and shapes, these elegant orbs were inspired by a set of silk-covered Swedish pendant lamps Nelson wanted for his office, but found to be too expensive. Employing the resourcefulness that characterized his working process, he decided to use a self-webbing plastic spray developed by the U.S. military, and applied it over a lightweight, rounded-steel frame to produce these soft, glowing fixtures.

Born in Connecticut, USA, George Nelson (1908-1986) was one of the most influential figures in the crucial early period of modern design. Trained at Yale as an architect and a fine artist, he believed that a designer's job was to better the world, using the perfection of nature's creations as his guide. Two formative years in Rome following his receipt of the prestigious Rome Prize brought him into contact with the world's leading modernists, including Le Corbusier, Mies Van der Rohe, Walter Gropius, Gio Ponti, and many others, and helped shape his career as a writer and industrial designer, who would change the course of history.



George Nelson



Nelson Ball Wall Sconce S



Nelson Pear Wall Sconce S



MATERIALS

SHADE  
Webbing polymer

FRAME TOP & BOTTOM RING  
Coated and brushed metal and nickel

CORD  
White PVC insulation

All Bubble Lamp models have a steel-wire skeleton on the interior which is spray coated with the translucent plastic polymer resulting in a lamp that is both opaque and transparent as it glows.

PRODUCT INFORMATION

DESIGN YEAR  
1947

COUNTRY OF ORIGIN  
USA


COLOUR & FINISH

Please note that the colours are indicative




Off white


DIMENSIONS




NELSON BALL WALL SCONCE CABLED | SMALL  
Diameter shade 32,5 cm  
Depth 53,5 cm  
Height shade 30,5 cm  
Height total 42,5 cm  
Weight 2,24 kg



NELSON PEAR WALL SCONCE CABLED | SMALL  
Diameter shade 33 cm  
Depth 53 cm  
Height shade 32 cm  
Height total 42,5 cm  
Weight 2,14 kg



NELSON CIGAR WALL SCONCE CABLED | SMALL  
Diameter shade 26,5 cm  
Depth 50,5 cm  
Height shade 35,5 cm  
Height total 42,5 cm  
Weight 2,14 kg



NELSON SAUCER WALL SCONCE CABLED | SMALL  
Diameter shade 44,5 cm  
Depth 59 cm  
Height shade 18 cm  
Height total 42,5 cm  
Weight 2,14 kg



TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE  
LED E27 (A15), 5-8W, 500-800lm, 2700-3000K warm white  
Bulb not included

---

DIMMABLE  
Yes  
If used in conjunction with a wall mounted dimmer and suitable LED bulb. Hardwiring required

---

POWER SUPPLY  
220-240V AC at 50/60Hz  
Polarized plug and cable included. EU/UK adaptors not included

---

IP  
20

---

CORD LENGTH  
366 cm

---

SWITCH  
Pull switch

---

TEST SPECIFICATION OUTPUTS

Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire

LUMEN (LM)  
500-800lm

---

KELVIN (CCT)  
2700-3000K warm white

---

CRI (1-100)  
Depends on bulb (>80)

---

## CERTIFICATES

### ETL APPROVED

This product has been assessed and complies with the essential requirements of the certificate.

### CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

**LED**   IP20  

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 60598-2-4 (portable luminaires)
- EN 60598-1 (general requirements)

